

www.xtechnocrat.com

BINS & PALLETS



Material Handling Solutions



Products



Big Bin



Crates



Warehouse Pallet



Export Pallet



Roto Pallets



Waste Management Products

Injection Moulded Big Bins

Big Bins proves to be very efficient & economic cubical occupation in storage, cold storage and logistic for fruits, vegetables, fresh agriculture produces, food & Beverages, chemical, textile, engineering, pharmaceutical, retail automotive industry, marine & many other industries.



Big Bins with Legs

Capacity (Approx)	: 666 Ltrs.
O.D	: 1200 x 1000 x 774mm +/- 10mm
O.D with Shoes	: 1200 x 1000 x 810mm +/- 10mm
Weight with Shoes	: 38.70 Kg +/- 3%
Load Capacity Static	: Upto 2700 Kg
Material	: HDPE/PP + Additives



Big Bins with Skids

Capacity (Approx)	: 666 Ltrs.
O.D	: 1200 x 1000 x 810mm +/- 10mm
Weight with Skids	: 39.60 Kg +/- 3%
Load Capacity Static	: Upto 3000 Kg
Material	: HDPE/ PP + Additives

Big Bins with Wheels



Applications:

CA (Controlled Atmosphere) warehouses & cold storage for handling of processed fruits & vegetables.

Advantages:

- Smartly designed with perforation that keeps the stored products fresh for long
- Highly durable , strong and Cost -effective
- Very hygienic for storage and transport
- Ensure optimum use of cubic space as they are stackable vertically upto 9 units
- Maintenance free and very easy to clean
- UV resistant & Temperature range -20 degree C to 55 degrees C.
- Suitable for cold storage as they give optimum thermal conductivity compared to other conventional materials
- Fully recyclable

Injection Moulded Crates

At vishakha you will find the most suitable crates for storage & transportation requirements. We are well known for manufacturing general purpose HDPE small & medium size crates. These crates can be made available to you in both "Solid" as well as "Perforated" formats and you also get to choose from a wide range of colours.

Dimensions (O.D)	: 540mm x 360mm x 290mm +/- 3mm
Dimensions (I.D)	: 504mm x 324mm x 281mm +/- 3mm
Capacity Approx	: 20kg
Weight	: 1.50 Kg & 2.0 Kg +/- 3%
Material	: HDPE / PP + Additives
Colour	: Red / Blue



Dimensions (O.D)	: 542mm x 360mm x 300mm +/- 3mm
Dimensions (I.D)	: 510mm x 328mm x 283mm +/- 3mm
Capacity Approx	: 20kg
Weight	: 1.62 Kg +/- 3%
Material	: HDPE / PP + Additives
Colour	: Red / Blue

Applications:

Ice cream & Dairy Products | Fruits & vegetables | Fresh agriculture produce | Food & Beverages | Chemicals | Textile | Pharmaceutical | Packaging | retail | Automotive Industry | Marine & much more.


Advantages:

- Fully recyclable
- Available in a wide range of colours & shapes
- Made from virgin food grade material, are perfect for storage & transportation of food material
- All the raw materials used in the production meet the FDA food regulations
- We also offer customized solutions
- Fully recyclable

Injection Moulded Pallets

Vishakha Premium Pallets

Weight	: 17 Kg +/- 3%
Dimensions	: 1200mm x 1000mm x 160mm +/- 10mm
Load Capacity (Static)	: Upto 6000Kg (UDL)
Material	: HDPE/PP+ Additives
Standard Colour Option	: Red, Blue, Green, Black, Grey
Type	: Single Face & 4 way Entry
Surface Type (TOP)	: Perforated



H1210S4-3L (Steel Reinforced)

Dimensions	: 1200mm x 1000mm x 160mm +/- 10mm
Load Capacity (Static)	: Upto 6000Kg (UDL)
Material	: HDPE/PP + Additives
Colour	: Grey/Blue
Type	: Single Face & 4 way Entry
Surface Type (TOP)	: Perforated




H1210S4-2M (Steel Reinforced)

Dimensions	: 1200mm x 1000mm x 160mm +/- 10mm
Load Capacity (Static)	: Upto 6000Kg (UDL)
Material	: HDPE/PP+ Additives
Colour	: Red, Blue, Green, Black, Grey
Type	: Single Face & 4 way Entry
Surface Type (TOP)	: Perforated

Injection Moulded Pallets

H1210D4 - 1L (Double Deck - Steel Reinforced)

Dimensions	: 1200mm x 1000mm x 160mm +/- 10mm
Load Capacity (Static)	: Upto 6000Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Grey / Blue



H1210R4 - 3L (Reversible - Steel Reinforced)

Dimensions	: 1200mm x 1000mm x 160mm +/- 10mm
Load Capacity (Static)	: Upto 4000Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Grey / Blue



H1210R4 - 3E (Reversible - Steel Reinforced)

Dimensions	: 1200mm x 1000mm x 160mm +/- 10mm
Load Capacity (Static)	: Upto 4000Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Grey / Blue

H1210S4 - 1A (Single Sided)

Dimensions	: 1200mm x 1000mm x 160mm +/- 10mm
Load Capacity (Static)	: Upto 4000Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Grey / Blue



H1210R4 - 1A (Reversible)

Dimensions	: 1200mm x 1000mm x 160mm +/- 10mm
Load Capacity (Static)	: Upto 6000Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Grey / Blue

Injection Moulded Pallets

H1212S4 - 3J (Steel Reinforced)

Dimensions	: 1200mm x 1200mm x 160mm +/- 10mm
Load Capacity (Static)	: Upto 4500Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Grey / Blue
Type	: Single Face & 4 way Entry
Surface Type (TOP)	: Perforated




H1212S4 - 3L (Steel reinforced)

Dimensions	: 1200mm x 1200mm x 160mm +/- 10mm
Load Capacity (Static)	: Upto 4500Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Grey / Blue
Type	: Single Face & 4 way Entry
Surface Type (TOP)	: Perforated

H1212S4 - 2A (Single Sided)

Dimensions	: 1200mm x 1200mm x 160mm +/- 10mm
Load Capacity (Static)	: Upto 4000Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Grey / Blue
Type	: Single Face & 4 way Entry
Surface Type (TOP)	: Perforated




H1212S4 - 2M (Steel Reinforced)

Dimensions	: 1200mm x 1200mm x 160mm +/- 10mm
Load Capacity (Static)	: Upto 4500Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Grey / Blue
Type	: Single Face & 4 way Entry
Surface Type (TOP)	: Perforated

Injection Moulded Pallets

H1212R4 - 3A (Reversible)

Dimensions	: 1200mm x 1200mm x 160mm +/- 10mm
Load Capacity (Static)	: Upto 6000Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Grey / Blue



H1212S4 - 1A (Single Sided)

Dimensions	: 1200mm x 1200mm x 160mm +/- 10mm
Load Capacity (Static)	: Upto 6000Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Grey / Blue

H1212D4 - 1A (Double Deck)

Dimensions	: 1200mm x 1200mm x 160mm +/- 10mm
Load Capacity (Static)	: Upto 6000Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Grey / Blue



Injection Moulded Pallets

H1311D4 - 2A (Double Deck)

Dimensions	: 1300mm x 1100mm x 160mm +/- 10mm
Load Capacity (Static)	: Upto 4000Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Grey / Blue



H1311D4 - 2L/2E (Double Deck - Steel Reinforced)

Dimensions	: 1300mm x 1100mm x 160mm +/- 10mm
Load Capacity (Static)	: Upto 4500Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Grey / Blue

Injection Moulded Pallets

H1411R4 - 2A (Reversible)

Dimensions	: 1400mm x 1100mm x 150mm +/- 10mm
Load Capacity (Static)	: Upto 4000Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Grey / Blue



H1411R4 - 2L (Reversible - Steel Reinforced)

Dimensions	: 1400mm x 1100mm x 150mm +/- 10mm
Load Capacity (Static)	: Upto 4500Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Grey / Blue

H1412R4 - 1A (Reversible)

Dimensions	: 1400mm x 1200mm x 150mm +/- 10mm
Load Capacity (Static)	: Upto 6000Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Grey / Blue



H1512R4 - 1A (Reversible)

Dimensions	: 1500mm x 1200mm x 150mm +/- 10mm
Load Capacity (Static)	: Upto 6000Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Grey / Blue

Injection Moulded Pallets

H1111S4 - 2M (Steel Reinforced)

Dimensions	: 1100mm x 1100mm x 150mm +/- 10mm
Load Capacity (Static)	: Upto 4000Kg (UDL)
Material	: HDPE / PP + Additives



H1280S4 - 2M (Steel Reinforced)

Dimensions	: 1100mm x 800mm x 150mm +/- 10mm
Load Capacity (Static)	: Upto 4000Kg (UDL)
Material	: HDPE / PP + Additives

Injection Moulded Pallets

Vishakha Nestable Pallet

Dimensions	: 1200mm x 1000mm x 140mm +/- 10mm
Load Capacity (Static)	: Upto 2000Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Black / Blue



X1210D4 - 1A (Double Deck)

Dimensions	: 1200mm x 1000mm x 120mm +/- 10mm
Load Capacity (Static)	: Upto 3000Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Black

X1210D4 - 2A (Double Deck)


Dimensions	: 1200mm x 1000mm x 150mm +/- 10mm
Load Capacity (Static)	: Upto 4000Kg (UDL)
Material	: HDPE / PP + Additives
Colour	: Black



Injection Moulded Pallets

X1040R4 - 1A (Reversible)

Dimensions	: 1040mm x 1040mm x 120mm +/- 10mm
Load Capacity (Static)	: Upto 3000Kg (UDL)
Load Capacity (Dynamic)	: Upto 1300Kg (UDL)
Material	: HDPE/PP+ Additives
Colour	: Black



X1311R4 - 1A (Reversible)

Dimensions	: 1300mm x 1100mm x 150mm +/- 10mm
Load Capacity (Static)	: Upto 4500Kg (UDL)
Load Capacity (Dynamic)	: Upto 1500Kg (UDL)
Material	: HDPE/PP+ Additives
Colour	: Black

Roto Moulded Pallets

Roto Moulded Pallet - 4 Way Entry, 9 Legs

Dimensions	: 1200mm x 1000mm x 150mm +/- 10mm
Load Capacity (Static)	: Upto 3000Kg (UDL)
Material	: LLDPE + Additives
Colour	: Blue / Natural Or As Required
Weight	: 20 Kg +/- 5%



Roto Moulded Pallet - 4 Way Entry, 9 Legs

Dimensions	: 1000mm x 1000mm x 150mm +/- 10mm
Load Capacity (Static)	: Upto 3000Kg (UDL)
Material	: LLDPE + Additives
Colour	: Blue / Natural Or As Required
Weight	: 18 Kg +/- 5%

Roto Moulded Pallet - 4 Way Entry, 9 Legs

Dimensions	: 1200mm x 1200mm x 150mm +/- 10mm
Load Capacity (Static)	: Upto 4000Kg (UDL)
Material	: LLDPE + Additives
Colour	: Blue / Natural Or As Required
Weight	: 23 Kg +/- 5%





Roto Moulded Pallet - 4 Way Entry, 9 Legs

Dimensions	: 1200mm x 800mm x 150mm +/- 10mm
Load Capacity (Static)	: Upto 3000Kg (UDL)
Material	: LLDPE + Additives
Colour	: Blue / Natural Or As Required
Weight	: 18 Kg +/- 5%

Roto Moulded Pallets


Roto Moulded Pallet - 2 Way Entry, 3 Runner

Dimensions	: 1200mm x 1000mm x 150mm +/- 10mm
Load Capacity (Static)	: Upto 3000Kg (UDL)
Material	: LLDPE + Additives
Colour	: Blue / Natural Or As Required
Weight	: 20 Kg +/- 5%




Roto Moulded Pallet - 2 Way Entry, 3 Runner

Dimensions	: 1000mm x 1000mm x 150mm +/- 10mm
Load Capacity (Static)	: Upto 3000Kg (UDL)
Material	: LLDPE + Additives
Colour	: Blue / Natural Or As Required
Weight	: 18 Kg +/- 5%



Roto Moulded Pallet - 2 Way Entry, 3 Runner

Dimensions	: 1200mm x 1200mm x 150mm +/- 10mm
Load Capacity (Static)	: Upto 3000Kg (UDL)
Material	: LLDPE + Additives
Colour	: Blue / Natural Or As Required
Weight	: 23 Kg +/- 5%



Roto Moulded Pallet - 2 Way Entry, 3 Runner

Dimensions	: 1200mm x 800mm x 150mm +/- 10mm
Load Capacity (Static)	: Upto 3000Kg (UDL)
Material	: LLDPE + Additives
Colour	: Blue / Natural Or As Required
Weight	: 18 Kg +/- 5%

Roto Moulded Pallets

Roll Pallet (VIRPS-1209-01)



Dimensions	: 1200mm x 900mm x 225mm +/- 10mm
Material	: HDPE/PP+ Additives
Advantages	: Any type of Roll i.e. Paper, Plastic etc. can be accommodated One piece moulded so no nails or joints which can damage the material Maintenance Free Corrosion and Rot Proof 100 % water proof and weather proof.

Material Handling Container (Double Wall)



Dimensions (O.D)	: 1300mm x 1300mm x 610mm +/- 10mm
Dimensions (I.D)	: 1220mm x 1220mm x 420mm +/- 10mm
Material	: HDPE/PP+ Additives
Advantages	: One piece moulded so no nails or joints which can damage the material Rot & Rust Proof Maintenance Free Customized design as per requirement Easy Cleanable 100% hygienic Waterproof & weather proof 100% Non Corrosion and resistant to most of the chemicals

Roto Moulded Student Desk (VI-SD)



Dimensions	: 500mm x 340mm x 285mm +/- 10mm
Material	: HDPE/PP+ Additives
Advantages	: Unbreakable Maintenance Free It is harmless as generally these desks do not have any sharp corners and very light in weight. So, it is very safe where children are around. Available in vibrant colors and can change the appearance and the mood of the class room Usage of plastic reduces cutting of trees and thereby deforestation. It's Water proof



XTECHNOCRAT INDIA PVT. LTD.

📍 Plot No. 167, Industrial Area, Phase 2, Panchkula, Haryana (India)-134113

☎ +91 9560239666 📞 0172-5009922

✉ sales@xtechnocrat.com 🌐 www.xtechnocrat.com