

# STORAGE & WORK CENTRE SOLUTION

[www.xtechnocrat.com](http://www.xtechnocrat.com)



## Overview of XTECHNOCRAT Business

### INTEGRATED PRODUCTS

#### Packaging Machine

|                         |
|-------------------------|
| Blister Packing Machine |
| Strip Packing Machine   |
| Auto Cartoning Machine  |
| Format Parts            |
| Case Packing            |
| Taping Machine          |
| Shrink Wrapping         |
| Stretch Wrapping        |
| Palletizer              |

#### Material Storage

|                             |
|-----------------------------|
| Shop Floor Solution         |
| Tool Storage Cabinet        |
| Vertical Carousels          |
| Automatic Storage Solutions |
| Shelving System             |
| Cantilever                  |
| Pallet Racks                |
| Mezzanine                   |
| Bins & Pallets              |

#### Filling & Sealing Machine

|            |
|------------|
| Bottle     |
| Tube       |
| Sachet     |
| Stick Pack |

#### Material Handling Equipment

|                     |
|---------------------|
| Pallet Trucks       |
| Forklift            |
| Stacker             |
| Warehouse Equipment |

#### Labeling Machine

|                         |
|-------------------------|
| Top Bottom Temper Proof |
| Front Back              |
| Tube Labeling           |
| L Shape                 |
| Wrap Around             |

#### Industrial Robotics

|                     |
|---------------------|
| Scara Robot         |
| Articulated Robot   |
| Parallel            |
| Collaborative Robot |
| Mobile Robot        |



## COMPANY PROFILE

XTECHNOCRAT brought this concept through 11 years of experience in the industry i.e. Pharmaceuticals, Foods, Cosmetics, FMCG, Automobile, Defence & Manufacturing. We helped our clients for Product Packaging, Space Inventory and Material Handling.

In current market scenario, Customers are expecting Quality product, one stop solution for packaging machinery, No order dispatch follow-up, Low cost maintenance including service & Spare, Trustable supplier, commitment delivered etc. We Offer all these benefit to Industry.

We support clients to more focus on their product improvement & new brand for capturing their market. It is possible because XTECHNOCRAT take care of customer need & continuous Production. We save clients Efforts, Time & Money.

## VISION

Ensure customer concern, our support is prime responsibility for XTECHNOCRAT. We aiming for the best possible solution according to your need.


## MISSION

To become a leader of innovative products & technology to lead advantage for our customer.

## OUR INITIATIVES

Xtechnocrat collaborated with worlds best brands and brings innovative products, latest technologies in competitive price.

## MATERIAL STORAGE SOLUTION



**RACKING**



**SHELVING**



**MEZZANINE**



**VRC**

### **RACKING**

*These Racks are designed to use / utilize make most of the available space and allow effective storage of all inventory and materials. They are manufactured using high quality material to ensure durability. Ideal pallet racks are designed based on size of the pallets, type of pallets, storage products, physical limitations & usage.*



**SELECTIVE PALLET RACKING**



**MOBILE RACKING**



**LIVE STORAGE**



**CANTILEVER RACKING**



**DRIVE & THRU RACKING**



**FLOW RACKING**

## SHELVING



***Our Storage provides an ideal way to store, organize and identify components in warehouses or factories. We offer products ranging from standard shelves to contemporary shelves like boltless shelves mobile Shelves and heavy-duty shelves.***

## MEZZANINE



***These Storage offers mezzanine floors that are completely customized to suit the specific needs and requirements of the organization without compromising the safety and stability. Mezzanine floors can be integrated with other storage utilities such as shelves and racks or can be used as additional office space, production space or retail space.***

## VRC



***Our VRC's are modular in construction and standardised to suit most common lifting needs of the industry. It can transport goods to different levels with high safety and reliability. VRC's can find its applications in warehouses, all type of industries, institutions or any multi story application to transport the goods vertically in safe manner. It offers benefits like efficient way of handling the materials with high throughput, occupies minimum floor space, more economical with excellent service support materials.***

## TOOL STORAGE CABINET

### Tool Cabinet 40 Series

**Application** : Used for storing of machine tools, components & hardware.

**Structure** : Prime Quality CRCA Sheet.

**Specification** : Drawers have Full Pull-Out.

Load capacity - 40 kg. UDL.

Drawers have base perforation.

Back & Sides have slots to accommodate partitioning.

Cabinet have central locking system.

Provided lock with 2 keys.

**Drawer Usable** : MEPL-I : 400 L x 390 W (mm)

MEPL-II : 460 L x 490 W (mm)


**Finish** : Powder Coating.

Cabinet - RAL 5015,

Drawer - RAL 9001.



MEPL-I (500 L x 500 W)



MEPL-II (560 L x 600 W)

### Tool Cabinet- 40 Kg Drawer Capacity

| Model No. | Product Code    | Dimension (mm) |       |        | Drawer Height/Qty |     |     |     |     |     | Stock |
|-----------|-----------------|----------------|-------|--------|-------------------|-----|-----|-----|-----|-----|-------|
|           |                 | Length         | Width | Height | 75                | 100 | 125 | 150 | 175 | 200 |       |
| MEPL- I   | MEPL09010120001 | 500            | 500   | 650    | 3                 | 2   | 1   | -   | -   | -   |       |
|           | MEPL09010120003 | 500            | 500   | 650    | 2                 | 4   | -   | -   | -   | -   |       |
|           | MEPL09010130003 | 500            | 500   | 800    | 2                 | 3   | 2   | -   | -   | -   |       |
|           | MEPL09010130008 | 500            | 500   | 800    | 3                 | 2   | 1   | 1   | -   | -   |       |
| MEPL- II  | MEPL09020150001 | 560            | 600   | 650    | 3                 | 2   | 1   | -   | -   | -   |       |
|           | MEPL09020150003 | 560            | 600   | 650    | 2                 | 4   | -   | -   | -   | -   |       |
|           | MEPL09020160001 | 560            | 600   | 800    | -                 | 7   | -   | -   | -   | -   |       |
|           | MEPL09020160003 | 560            | 600   | 800    | 2                 | 3   | 2   | -   | -   | -   |       |
|           | MEPL09020160008 | 560            | 600   | 800    | 3                 | 2   | 1   | 1   | -   | -   |       |
|           | MEPL09020170003 | 560            | 600   | 1000   | -                 | -   | -   | 6   | -   | -   |       |
|           | MEPL09020170001 | 560            | 600   | 1000   | 6                 | 2   | 2   | -   | -   | -   |       |

## TOOL STORAGE CABINET

AN ISO 9001-2008 COMPANY

### Tool Cabinet 100 Series

**Application :** Used for storing of machine tools, components & hardware.



**Structure :** Prime Quality CRCA Sheet.

**Specification :** Drawers have Full Pull-Out.  
 Load capacity - 100 kg. UDL.  
 Drawers have base perforation.  
 Back & Sides have slots to accommodate partitioning.  
 Cabinet have central locking system.  
 Provided lock with 2 keys.

**Drawer Usable :** MEPL-II : 460 L x 490 W (mm)  
 MEPL-V : 610 L x 610 W (mm)

**Finish :** Powder Coating.

Cabinet - RAL 5015,  
 Drawer - RAL 9001.



### Tool Cabinet- 100 kg Drawer Capacity


| Model No. | Product Code    | Dimension (mm) |       |        | Drawer Height/Qty |     |     |     |     |     | Stock |
|-----------|-----------------|----------------|-------|--------|-------------------|-----|-----|-----|-----|-----|-------|
|           |                 | Length         | Width | Height | 75                | 100 | 125 | 150 | 175 | 200 |       |
| MEPL- II  | MEPL09030190001 | 560            | 600   | 650    | 3                 | 2   | 1   | -   | -   | -   |       |
|           | MEPL09030190003 | 560            | 600   | 650    | 2                 | 4   | -   | -   | -   | -   |       |
|           | MEPL09030200001 | 560            | 600   | 800    | -                 | 7   | -   | -   | -   | -   |       |
|           | MEPL09030200002 | 560            | 600   | 800    | 8                 | 1   | -   | -   | -   | -   |       |
|           | MEPL09030200003 | 560            | 600   | 800    | 2                 | 3   | 2   | -   | -   | -   |       |
|           | MEPL09030210003 | 560            | 600   | 1000   | -                 | -   | -   | 6   | -   | -   |       |
|           | MEPL09030210004 | 560            | 600   | 1000   | 6                 | 2   | 2   | -   | -   | -   |       |
|           | MEPL09030210008 | 560            | 600   | 1000   | -                 | 6   | -   | 2   | -   | -   |       |
| MEPL- V   | MEPL09040220001 | 720            | 720   | 650    | 3                 | 2   | 1   | -   | -   | -   |       |
|           | MEPL09040220003 | 720            | 720   | 650    | 2                 | 4   | -   | -   | -   | -   |       |
|           | MEPL09040230001 | 720            | 720   | 800    | -                 | 7   | -   | -   | -   | -   |       |
|           | MEPL09040230008 | 720            | 720   | 800    | 3                 | 2   | 1   | 1   | -   | -   |       |
|           | MEPL09040240003 | 720            | 720   | 1000   | -                 | -   | -   | 6   | -   | -   |       |
|           | MEPL09040240004 | 720            | 720   | 1000   | 6                 | 2   | 2   | -   | -   | -   |       |
|           | MEPL09040250001 | 720            | 720   | 1450   | 4                 | 3   | 2   | 2   | -   | 1   |       |
|           | MEPL09040250002 | 720            | 720   | 1450   | -                 | -   | -   | 9   | -   | -   |       |
|           | MEPL09040260001 | 720            | 720   | 1625   | 3                 | 6   | 2   | 3   | -   | -   |       |
|           | MEPL09040260004 | 720            | 720   | 1625   | 3                 | 5   | -   | 4   | -   | 1   |       |

## TOOL STORAGE CABINET


### Tool Cabinet 70.150 Series

**S** : Standard Pull Out - 75% Open (70 kg. Capacity).

**F** : Full Pull Out - 100% Open (150 kg. Capacity).



MEPL-II (583 L x 600 W)



MEPL-V (720 L x 720 W)

### Tool Cabinet- 70.150 Kg Drawer Capacity

| Model No. | Product Code    | Dimension (mm) |       |        | Drawer Height/Qty |     |     |     |     |     | Stock |
|-----------|-----------------|----------------|-------|--------|-------------------|-----|-----|-----|-----|-----|-------|
|           |                 | Length         | Width | Height | 75                | 100 | 125 | 150 | 175 | 200 |       |
| MEPL- II  | MEPL09160030008 | 583            | 600   | 800    | -                 | F 7 | -   | -   | -   | -   |       |
|           | MEPL09160030001 | 583            | 600   | 800    | S 2               | S 3 | S 2 | -   | -   | -   |       |
|           | MEPL09160030004 | 583            | 600   | 800    | S 3               | S 2 | S 1 | F 1 | -   | -   |       |
|           | MEPL09100090001 | 583            | 600   | 1000   | -                 | S 3 | -   | F 4 | -   | -   |       |
|           | MEPL09100090002 | 583            | 600   | 1000   | -                 | S 9 | -   | -   | -   | -   |       |
|           | MEPL09100100002 | 583            | 600   | 1450   | S 3               | S 2 | S 2 | F 2 | F 1 | F 1 |       |
|           | MEPL09100100004 | 583            | 600   | 1450   | -                 | -   | -   | F 9 | -   | -   |       |
| MEPL- V   | MEPL09100020008 | 720            | 720   | 800    | -                 | F 7 | -   | -   | -   | -   |       |
|           | MEPL09100020004 | 720            | 720   | 800    | S 3               | S 2 | S 1 | F 1 | -   | -   |       |
|           | MEPL09100030003 | 720            | 720   | 1000   | -                 | -   | -   | F 6 | -   | -   |       |
|           | MEPL09100030007 | 720            | 720   | 1000   | S 2               | S 3 | -   | F 3 | -   | -   |       |
|           | MEPL09100040001 | 720            | 720   | 1450   | S 4               | S 3 | S 2 | F 2 | -   | F 1 |       |
|           | MEPL09100040008 | 720            | 720   | 1450   | -                 | -   | -   | F 9 | -   | -   |       |
|           | MEPL09100050003 | 720            | 720   | 1625   | S 3               | S 6 | S 2 | F 3 | -   | -   |       |
|           | MEPL09100050001 | 720            | 720   | 1625   | S 3               | S 5 | -   | F 4 | -   | F 1 |       |

## TOOL STORAGE CABINET

AN ISO 9001-2008 COMPANY

### Tool Cabinet 100 Series


**Application :** Used for storing of machine tools, components & hardware.

**Structure :** Prime Quality CRCA Sheet.

**Specification :** Drawers have Full Pull-Out.  
 Load capacity - 100 kg. UDL.  
 Drawers have base perforation.  
 Back & Sides have slots to accommodate partitioning.  
 Cabinet have central locking system.  
 Provided lock with 2 keys.

**Drawer Usable :** MEPL-VII : 1015 L x 490 W (mm)

**Finish :** Powder Coating.  
 Cabinet - RAL 5015,  
 Drawer - RAL 9001.




### Tool Cabinet- 100 kg Drawer Capacity

| Model No. | Product Code    | Dimension (mm) |       |        | Drawer Height/Qty |     |     |     |     |     | Stock |
|-----------|-----------------|----------------|-------|--------|-------------------|-----|-----|-----|-----|-----|-------|
|           |                 | Length         | Width | Height | 75                | 100 | 125 | 150 | 175 | 200 |       |
| MEPL-VII  | MEPL09050270001 | 1125           | 600   | 800    | -                 | 7   | -   | -   | -   | -   |       |
|           | MEPL09050270003 | 1125           | 600   | 800    | 2                 | 3   | 2   | -   | -   | -   |       |
|           | MEPL09050280002 | 1125           | 600   | 1000   | -                 | 9   | -   | -   | -   | -   |       |
|           | MEPL09050280003 | 1125           | 600   | 1000   | -                 | -   | -   | 6   | -   | -   |       |
|           | MEPL09050280004 | 1125           | 600   | 1000   | 6                 | 2   | 2   | -   | -   | -   |       |

### Base Stand

**Base Stand :** Clear height 110 mm for forklift lifting,

**Finish :** Powder Coating.  
 Black Colour.



| Product Code        | TC Model No.              | Stand Size (mm) |
|---------------------|---------------------------|-----------------|
| MEPL090100105151110 | MEPL-I (500 L x 500 W)    | 510 L x 510 W   |
| MEPL090100105761110 | MEPL-II (560 L x 600 W)   | 570 L x 610 W   |
| MEPL090100105961110 | MEPL-II (583 L x 600 W)   | 593 L x 610 W   |
| MEPL090100107373110 | MEPL-V (720 L x 720 W)    | 730 L x 730 W   |
| MEPL090100111361110 | MEPL-VII (1125 L x 600 W) | 1135 L x 610 W  |

## TOOL STORAGE CABINET

**Partitions** : Available in MS

**Partitions are of two types** : Slotted Partition.

Cross Partition.

**Slotted Partition** : These are the longitudinal section fixed to the depth of the drawer and screwed.

**Cross Partition** : Sub dividing the drawer into compartments for maximum utilization of the drawer.

**Finish** : Powder Coating.

Partitions : RAL 9001.




1 Slotted Partitions  
2 Cross Partitions




2 Slotted Partitions  
6 Cross Partitions



3 Slotted Partitions  
8 Cross Partitions



4 Slotted Partitions  
10 Cross Partitions



5 Slotted Partitions  
18 Cross Partitions

### Partitions of 70.150 Series Cabinet : Drawer Height 75 mm

| Partition Combination |       | MEPL-II             | MEPL-V              |
|-----------------------|-------|---------------------|---------------------|
|                       |       | 583 L x 600 D       | 720 L x 720 D       |
| Slotted               | Cross | Product Code        |                     |
| 1                     | 2     | MEPL092200207510204 | MEPL092200507510204 |
| 2                     | 6     | MEPL092200207520609 | MEPL092200507520609 |
| 3                     | 8     | MEPL092200207530812 | MEPL092200507530812 |
| 4                     | 10    | MEPL092200207541015 | MEPL092200507541015 |
| 5                     | 18    | MEPL092200207551824 | MEPL092200507551824 |

### Partitions of 70.150 Series Cabinet : Drawer Height 100/125 mm

| Partition Combination |       | MEPL-II             | MEPL-V              |
|-----------------------|-------|---------------------|---------------------|
|                       |       | 583 L x 600 D       | 720 L x 720 D       |
| Slotted               | Cross | Product Code        |                     |
| 1                     | 2     | MEPL092200210010204 | MEPL092200510010204 |
| 2                     | 6     | MEPL092200210020609 | MEPL092200510020609 |
| 3                     | 8     | MEPL092200210030812 | MEPL092200510030812 |
| 4                     | 10    | MEPL092200210041015 | MEPL092200510041015 |
| 5                     | 18    | MEPL092200210051824 | MEPL092200510051824 |

### Partitions of 70.150 Series Cabinet : Drawer Height 150/175 mm

| Partition Combination |       | MEPL-II             | MEPL-V              |
|-----------------------|-------|---------------------|---------------------|
|                       |       | 583 L x 600 D       | 720 L x 720 D       |
| Slotted               | Cross | Product Code        |                     |
| 1                     | 2     | MEPL092200215010204 | MEPL092200515010204 |
| 2                     | 6     | MEPL092200215020609 | MEPL092200515020609 |
| 3                     | 8     | MEPL092200215030812 | MEPL092200515030812 |
| 4                     | 10    | MEPL092200215041015 | MEPL092200515041015 |
| 5                     | 18    | MEPL092200215051824 | MEPL092200515051824 |

### Partitions of 70.150 Series Cabinet : Drawer Height 200/250 mm

| Partition Combination |       | MEPL-II             | MEPL-V              |
|-----------------------|-------|---------------------|---------------------|
|                       |       | 583 L x 600 D       | 720 L x 720 D       |
| Slotted               | Cross | Product Code        |                     |
| 1                     | 2     | MEPL092200220010204 | MEPL092200520010204 |
| 2                     | 6     | MEPL092200220020609 | MEPL092200520020609 |
| 3                     | 8     | MEPL092200220030812 | MEPL092200520030812 |
| 4                     | 10    | MEPL092200220041015 | MEPL092200520041015 |
| 5                     | 18    | MEPL092200220051824 | MEPL092200520051824 |

**Partitions of 40.100 Series Cabinet : Drawer Height 75 mm**

| Partition Combination |       | MEPL-I              | MEPL-II             | MEPL-V              | MEPL-VII            |
|-----------------------|-------|---------------------|---------------------|---------------------|---------------------|
|                       |       | 500 L x 500 D       | 560 L x 600 D       | 720 L x 720 D       | 1125 L x 600 D      |
| Slotted               | Cross | Product Code        |                     |                     |                     |
| 1                     | 2     | MEPL092300107510204 | MEPL092300207510204 | MEPL092300507510204 |                     |
| 2                     | 6     | MEPL092300107520609 | MEPL092300207520609 | MEPL092300507520609 |                     |
| 3                     | 8     |                     | MEPL092300207530812 | MEPL092300507530812 | MEPL092300707530812 |
| 4                     | 10    |                     |                     | MEPL092300507541015 | MEPL092300707541015 |
| 5                     | 18    |                     |                     | MEPL092300507551824 | MEPL092 00707551824 |

**Partitions of 40.100 Series Cabinet : Drawer Height 100/125 mm**

| Partition Combination |       | MEPL-I              | MEPL-II             | MEPL-V              | MEPL-VII            |
|-----------------------|-------|---------------------|---------------------|---------------------|---------------------|
|                       |       | 500 L x 500 D       | 560 L x 600 D       | 720 L x 720 D       | 1125 L x 600 D      |
| Slotted               | Cross | Product Code        |                     |                     |                     |
| 1                     | 2     | MEPL092300110010204 | MEPL092300210010204 | MEPL092300510010204 |                     |
| 2                     | 6     | MEPL092300110020609 | MEPL092300210020609 | MEPL092300510020609 |                     |
| 3                     | 8     |                     | MEPL092300210030812 | MEPL092300510030812 | MEPL092300710030812 |
| 4                     | 10    |                     |                     | MEPL092300510041015 | MEPL092300710041015 |
| 5                     | 18    |                     |                     | MEPL092300510051824 | MEPL092300710051824 |

**Partitions of 40.100 Series Cabinet : Drawer Height 150/175 mm**

| Partition Combination |       | MEPL-I              | MEPL-II             | MEPL-V              | MEPL-VII            |
|-----------------------|-------|---------------------|---------------------|---------------------|---------------------|
|                       |       | 500 L x 500 D       | 560 L x 600 D       | 720 L x 720 D       | 1125 L x 600 D      |
| Slotted               | Cross | Product Code        |                     |                     |                     |
| 1                     | 2     | MEPL092300115010204 | MEPL092300215010204 | MEPL092300515010204 |                     |
| 2                     | 6     | MEPL092300115020609 | MEPL092300215020609 | MEPL092300515020609 |                     |
| 3                     | 8     |                     | MEPL092300215030812 | MEPL092300515030812 | MEPL092300715030812 |
| 4                     | 10    |                     |                     | MEPL092300515041015 | MEPL092300715041015 |
| 5                     | 18    |                     |                     | MEPL092300515051824 | MEPL092300715051824 |

**Partitions of 40.100 Series Cabinet : Drawer Height 200/250 mm**

| Partition Combination |       | MEPL-I              | MEPL-II             | MEPL-V              | MEPL-VII            |
|-----------------------|-------|---------------------|---------------------|---------------------|---------------------|
|                       |       | 500 L x 500 D       | 560 L x 600 D       | 720 L x 720 D       | 1125 L x 600 D      |
| Slotted               | Cross | Product Code        |                     |                     |                     |
| 1                     | 2     | MEPL092300120010204 | MEPL092300220010204 | MEPL092300520010204 |                     |
| 2                     | 6     | MEPL092300120020609 | MEPL092300220020609 | MEPL092300520020609 |                     |
| 3                     | 8     |                     | MEPL092300220030812 | MEPL092300520030812 | MEPL092300720030812 |
| 4                     | 10    |                     |                     | MEPL092300520041015 | MEPL092300720041015 |
| 5                     | 18    |                     |                     | MEPL092300520051824 | MEPL092300720051824 |

A

## TOOL STORAGE CABINET

### Small Parts Storage Box



The Drawers can be equipped completely or in combination with other drawer divider elements.

Specially designed for small parts and tools.

Sensitive Storage.

**Material** : ABS

**Finish** : Colour-Red



| Product Code   | Dimensions (mm) |       |        |
|----------------|-----------------|-------|--------|
|                | Length          | Depth | Height |
| H4933502000098 | 74              | 74    | 45     |
| H4933502000099 | 74              | 148   | 45     |
| H4933502000100 | 148             | 148   | 45     |

| Cabinet Model No.       | Product Code        | No. of Box storage in Tool cabinet drawer |                |                 |
|-------------------------|---------------------|-------------------------------------------|----------------|-----------------|
|                         |                     | Box (74 x 74)                             | Box (74 x 148) | Box (148 x 148) |
| MEPL -I<br>500 x 500    | MEPL093000150502501 | 25                                        |                |                 |
|                         | MEPL093000150501502 | 05                                        | 10             |                 |
|                         | MEPL093000150501103 | 05                                        | 02             | 04              |
| MEPL -II<br>560 x 600   | MEPL093000156601801 |                                           | 18             |                 |
|                         | MEPL093000156600902 |                                           |                | 09              |
|                         | MEPL093000156601803 | 06                                        | 09             | 03              |
| MEPL -III<br>720 x 500  | MEPL093000172502001 |                                           | 20             |                 |
|                         | MEPL093000172501202 |                                           | 04             | 08              |
|                         | MEPL093000172502103 | 10                                        | 07             | 04              |
| MEPL -V<br>720 x 720    | MEPL093000172723201 |                                           | 32             |                 |
|                         | MEPL093000172721602 |                                           | 16             |                 |
|                         | MEPL093000172723203 | 16                                        | 08             | 08              |
| MEPL -VII<br>1125 x 600 | MEPL093000111263901 |                                           | 39             |                 |
|                         | MEPL093000111262102 |                                           | 03             | 18              |
|                         | MEPL093000111263003 | 12                                        | 06             | 12              |


## Plastic Bin Compartments

Particularly suitable for long tools.  
Simple assembly.  
Sensitive Storage.


Size of Plastic Bin Compartments : 150 L x 152 W x 28 H (mm).

**Material** : ABS

**Finish** : Colour-Red



### Plastic Bin Compartment



| Product Code   | Description       | No. of compartments x width of compartments |
|----------------|-------------------|---------------------------------------------|
| H4933502000090 | BIN 2 Compartment | 2 x 70 mm                                   |
| H4933502000089 | BIN 3 Compartment | 3 x 45 mm                                   |
| H4933502000094 | BIN 4 Compartment | 4 x 33 mm                                   |

### Bin Compartment Cross Divider




| Product Code   | Description           | Width of Cross Divider |
|----------------|-----------------------|------------------------|
| H4933502000095 | Bin 2 - Cross Divider | 70 mm                  |
| H4933502000096 | Bin 3 - Cross Divider | 45 mm                  |
| H4933502000097 | Bin 4 - Cross Divider | 33 mm                  |

### Plastic Bin Compartments with cross divider

Metafold standard supply-3 nos. cross divider per compartments.

For ordering of cross divider-specify individual Product Code.



| Product Code        | Description                                  | Stock |
|---------------------|----------------------------------------------|-------|
| MEPL093000215150206 | Plastic Bin 2 Compartment + 6 Cross divider  |       |
| MEPL093000215150309 | Plastic Bin 3 Compartment + 9 Cross divider  |       |
| MEPL093000215150412 | Plastic Bin 4 Compartment + 12 Cross divider |       |

## MODULAR ASSEMBLY TABLE

### Basic Modular Assembly Table

**Application :** Used for Electrical, Electronics, Plastic & Automobile Industries etc.

**Load Capacity :** 250 Kg max. UDL on top surface.

**Structure :** Modular Structure of prime quality CRCA Sheet.

**Specification :** Tables are modular & easy to assemble.

Having 2 mm MS top with 1.5 Thick White Lilly Carpet.

Electrical box with (Model plate 08) containing,  
5 & 15 amp sockets & switches each.

1 no. Switch for tube light.

Tube Light of intensity of 350 Lux on top surface.


Working height of the table is 850 mm adjustable by +50 mm with leveler.

Having various accessories mentioned below.

**Finish :** Powder Coating.

Frame-RAL 5015.

Table Top-RAL 9001.




| Product Code        | Dimension (mm) |       |        | Stock |
|---------------------|----------------|-------|--------|-------|
|                     | Length         | Depth | Height |       |
| MEPL081506707007215 | 700            | 700   | 2150   |       |
| MEPL081506710007215 | 1000           | 700   | 2150   |       |
| MEPL081506712007215 | 1200           | 700   | 2150   |       |
| MEPL081506714007215 | 1400           | 700   | 2150   |       |
| MEPL081506718007215 | 1800           | 700   | 2150   |       |

Note :- Top is also available with 3 mm thickness in MS & 1.6 mm thickness in SS.


## MODULAR ASSEMBLY TABLE

AN ISO 9001-2008 COMPANY

### Table with Various Accesories




### Various Accessories



#### FPO Bin stand

Used for hang Bins FPO 05, FPO 15, & FPO 25 only at front.  
Length is according to table Length.


| Length mm | Product Code        |
|-----------|---------------------|
| 0700      | MEPL081502200800700 |
| 1000      | MEPL081502200801000 |
| 1200      | MEPL081502200801200 |
| 1400      | MEPL081502200801400 |
| 1800      | MEPL081502200801800 |



#### Box file Shelf

Used to place box files.  
Depth is 310 mm.  
Length is according to table length.

| Length mm | Product Code        |
|-----------|---------------------|
| 0700      | MEPL081506831065006 |
| 1000      | MEPL081506831095009 |
| 1200      | MEPL081506831115011 |
| 1400      | MEPL081506831135013 |
| 1800      | MEPL081506831175017 |




#### Electrical Box

Model Plate 08 Inclined position - Standard  
Socket 5 Amp. & 15 Amp.-01 no. each  
Switch 5 Amp. & 15 Amp.-01 no. each  
For Tube light - 01 no.  
1 no. for dummy location.  
700, 1000, 1200 length-Single side switch box  
1400, 1800 length-Both side switch box

| Length mm | Product Code    |
|-----------|-----------------|
| 700       | MEPL08150200550 |
| 1000      | MEPL08150200850 |
| 1250      | MEPL08150201050 |
| 1400      | MEPL08150051250 |
| 1800      | MEPL08150051650 |

## MODULAR ASSEMBLY TABLE



### Display

Used to place drawing sheets A3 & A4 size on front side of table.  
Length is according to table size.


| Length mm | Product Code    |
|-----------|-----------------|
| 700       | MEPL08150180645 |
| 1000      | MEPL08150180945 |
| 1200      | MEPL08150181145 |
| 1400      | MEPL08150181345 |
| 1800      | MEPL08150181745 |



### Perfo Panel (Full Length)

Used to hang tools & Assembly equipment.  
Size : Height is 610 mm.


| Length mm | Product Code        |
|-----------|---------------------|
| 700       | MEPL081506206100700 |
| 1000      | MEPL081506206101000 |
| 1200      | MEPL081506206101200 |



### Soft Board (Full Length)

Used to Stick instructions, reports, drawings, photos.  
Size : Height is 610 mm.

| Length mm | Product Code        |
|-----------|---------------------|
| 700       | MEPL081505706100700 |
| 1000      | MEPL081505706101000 |
| 1200      | MEPL081505706101200 |
| 1400      | MEPL081505706101400 |
| 1800      | MEPL081505706101800 |



### White Board (Full Length)

Used for instruction.  
Size : Height is 610 mm.

| Length mm | Product Code        |
|-----------|---------------------|
| 700       | MEPL081506606100700 |
| 1000      | MEPL081506606101000 |
| 1200      | MEPL081506606101200 |




### Tilting Shelf

Used to place FPO Bin 35.  
Depth is 330 mm & length will be according to the table length.

| Length mm | Product Code        |
|-----------|---------------------|
| 700       | MEPL081506606101400 |
| 1000      | MEPL081506606101800 |
| 1200      | MEPL081503803300543 |
| 1400      | MEPL081503803300843 |
| 1800      | MEPL081503803301043 |
| 700       | MEPL081503803301243 |
| 1000      | MEPL081503803301643 |

### Bottom Shelf with Decking Panel




Used to place boxes, components etc.  
Galvanized (GI) Decking Panel with Bolt & Nut.  
Size : Depth is 610 mm.

| Length mm | Product Code        |
|-----------|---------------------|
| 700       | MEPL081506906500550 |
| 1000      | MEPL081506906500850 |
| 1200      | MEPL081506906501050 |
| 1400      | MEPL081506906501250 |
| 1800      | MEPL081506906501650 |

## MODULAR ASSEMBLY TABLE

AN ISO 9001-2008 COMPANY



### Plain Bottom Shelf

Fixed to inclined or horizontally at the bottom of the table for placing boxes, bins etc.  
Size : Depth is 600 mm.


| Length mm | Product Code        |
|-----------|---------------------|
| 700       | MEPL081507010650550 |
| 1000      | MEPL081507010650850 |
| 1200      | MEPL081507012651050 |
| 1400      | MEPL081507012651250 |
| 1800      | MEPL081507016651650 |



### LR Channel

Used to hang tools as air gun, soldering m/c.  
Capacity of 5 Kg.

| Length mm | Product Code    |
|-----------|-----------------|
| 700       | MEPL08150120650 |
| 1000      | MEPL08150120950 |
| 1200      | MEPL08150121150 |
| 1400      | MEPL08150121350 |
| 1800      | MEPL08150121750 |



### Rejection Bin Stand

Used to place Bin at Bottom Bin 300,400 & 600.  
Depth up to 600 mm max.

| Bin Front mm | Product Code        |
|--------------|---------------------|
| 300          | MEPL081501630645070 |
| 400          | MEPL081501640645070 |
| 600          | MEPL081501660645070 |



### A4 Stand folder

Used to store drawings & instruction paper.

| Length           | Product Code   |
|------------------|----------------|
| Set of 5 folder  | H4015189530365 |
| Set of 10 folder | H4015189530366 |



### Single Drawer Unit

Size : (385 L x 510 D x 185 H) mm  
Usable Space : (315 L x 460 D x 85 H) mm  
Load capacity : 25 kg. UDL

**Product Code**  
MEPL0811022560165



### 2 Drawer Unit

Size : (385 L x 510 D x 308 H) mm  
Usable Space : (315 L x 460 D x 85 H) mm  
Load capacity : 25 kg. UDL

**Product Code**  
MEPL0811022560320



### 3 Drawer Unit

Size : (385 L x 510 D x 431 H) mm  
Usable Space : (315 L x 460 D x 85 H) mm  
Load capacity : 25 kg. UDL

**Product Code**  
MEPL0811022560445



### Spring Balancer:

Used for hanging tools.  
Capacity 5 Kg.

**Product Code**  
B5630002

## MODULAR ASSEMBLY TABLE

### MAT-01 Model

**Application :** Can be used for Electrical, Electronics, Plastic & Automobile Industries.

**Load Capacity :** 250 Kg UDL max. on top.


**Structure :** Modular structure of prime quality CRCA sheet.

**Specification :** Top MS\* Sheet with 1.5 mm thk. White Lilly carpet.  
 Standard Single Drawer with 25 kg. UDL load capacity on RH side.  
 Drawer usable space - 315 L x 460 D x 85 H (mm).  
 FPO Bin stands for keeping FPO Bin 15 & 25.  
 Soft Board - 610 mm H x full length with Blue cloth.  
 Electrical Box with Model Plate (08) on RH side.  
 Each Model Plate (08) with 3nos. switch & 2 nos. socket.  
 2' Tube light for 700, 1000, 1200 length table.  
 4' Tube light for 1400, 1800 length table.  
 LR Channel with trolley 5 kg. Capacity.  
 Height adjustable Leveler.

**Finish :** Powder Coating.

Structure -RAL 5015.

Accessories -RAL 9001.



| Product Code        | Dimension (mm) |       |        | Stock |
|---------------------|----------------|-------|--------|-------|
|                     | Length         | Depth | Height |       |
| MEPL081504007000700 | 700            | 700   | 2150   |       |
| MEPL081504007001000 | 1000           | 700   | 2150   |       |
| MEPL081504007001200 | 1200           | 700   | 2150   |       |
| MEPL081504007001400 | 1400           | 700   | 2150   |       |
| MEPL081504007001800 | 1800           | 700   | 2150   |       |

\*Working Height 850 (+50 mm Adjustable)

### MAT-02 Model

**Application :** Can be used for Electrical, Electronics, Plastic & Automobile Industries.

**Load Capacity :** 250 Kg UDL max. on top.


**Structure :** Modular structure of prime quality CRCA sheet.

**Specification :** Top MS\* Sheet with 1.5 mm Thk White Lilly carpet.  
 Tilting shelf 600 mm depth for FPO Bin 35.  
 Dual Tube light 4ft with half reflector.  
 Instruction display with A3 & A4 folder.  
 Electrical Box with Model Plate (08) on either side.  
 Each Model Plate (08) with 3nos. switch & 2 nos. socket.  
 LR Channel with trolley 5 kg. Capacity.  
 Height adjustable Leveler.

**Finish :** Powder Coating.

Structure -RAL 5015.

Accessories -RAL 9001.



| Product Code        | Dimension (mm) |       |        | Stock |
|---------------------|----------------|-------|--------|-------|
|                     | Length         | Depth | Height |       |
| MEPL081504170601400 | 1400           | 1300  | 2150   |       |
| MEPL081504170601800 | 1800           | 1300  | 2150   |       |

\* Working Height 850 (+50 mm Adjustable)

\*Top SS sheet also available

## MODULAR ASSEMBLY TABLE

AN ISO 9001-2008 COMPANY

### MAT-03 Model

**Application :** Can be used for Electrical, Electronics, Plastic & Automobile Industries.

**Load Capacity :** 250 Kg UDL max. on top.


**Structure :** Modular structure of prime quality CRCA sheet.

**Specification :** Top MS\* Sheet with 1.5 mm Thk White Lilly Carpet.  
 Standard 3-Drawer with 25 kg. UDL load capacity on LH side.  
 Drawer usable space - 315 L x 460 D X 85 H (mm)  
 Tilting shelf 330 mm depth for FPO Bin 35.  
 Soft Board - 610 mm H x half length with Blue cloth.  
 White board - 610 mm H x half length with white laminate.  
 Electrical Box with Model Plate (08) on RH side.  
 Each Model Plate (08) with 3nos. switch & 2 nos. socket.  
 2' Tube light for 1200 length.  
 4' Tube light for 1400, 1800 length.  
 A4 stand folder with 10 leaves.  
 LR Channel with trolley 5 kg. Capacity.  
 Height adjustable Leveler.

**Finish :** Powder Coating.

Structure -RAL 5015.

Accessories -RAL 9001.



| Product Code        | Dimension (mm) |       |        | Stock |
|---------------------|----------------|-------|--------|-------|
|                     | Length         | Depth | Height |       |
| MEPL081504207001200 | 1200           | 700   | 2150   |       |
| MEPL081504207001400 | 1400           | 700   | 2150   |       |
| MEPL081504207001800 | 1800           | 700   | 2150   |       |

\*Working Height (+50 mm Adjustable)

### MAT-04 Model

**Application :** Can be used for Electrical, Electronics, Plastic & Automobile Industries.

**Load Capacity :** 250 Kg UDL max. on top.


**Structure :** Modular structure of prime quality CRCA sheet.

**Specification :** Top MS\* Sheet with 1.5 mm Thk White Lilly Carpet.  
 Soft Board either side - 610 mm H with Blue cloth.  
 White board center - 610 mm H with white laminate.  
 Middle shelf with GI Decking Panel.  
 Dual Tube light 4ft with half reflector.  
 Instruction display with A4 & A3 folder.  
 Electrical Box with Model Plate (08) on either side.  
 Each Model Plate (08) with 3nos. switch & 2 nos. socket.  
 LR Channel with trolley 5 kg. Capacity.  
 Height adjustable Leveler.

**Finish :** Powder Coating.

Structure -RAL 5015.

Accessories -RAL 9001.



| Product Code        | Dimension (mm) |       |        | Stock |
|---------------------|----------------|-------|--------|-------|
|                     | Length         | Depth | Height |       |
| MEPL081504307001400 | 1400           | 700   | 2150   |       |
| MEPL081504307001800 | 1800           | 700   | 2150   |       |

\*Working Height (+50 mm Adjustable)

\*Top SS sheet also available

## MODULAR ASSEMBLY TABLE


### MAT-05 Model

**Application :** Can be used in Electrical, Electronics, Plastic & Automobile Industries.

**Load Capacity :** 250 Kg UDL max. on top.

**Structure :** Modular structure of prime quality CRCA sheet.

**Specification :** Top MS\* Sheet with 1.5 mm Thk White Lilly carpet.  
 Tilting shelf 330 mm depth for FPO Bin 35.  
 Middle shelf with GI Decking Panel.  
 Dual Tube light with half reflector.  
 2' Tube light - 700, 1000, 1200 length.  
 4' Tube light - 1400 length.  
 Instruction display with A4 & A3 folder.  
 Electrical Box with Model Plate (08).  
 Each Model Plate (08) with 3nos. switch & 2 nos. socket.  
 LR Channel with trolley 5 kg. Capacity.  
 Height adjustable Leveler.  
**Finish :** Powder Coating.  
 Structure -RAL 5015.  
 Accessories -RAL 9001.



| Product Code        | Dimension (mm) |       |        | Stock |
|---------------------|----------------|-------|--------|-------|
|                     | Length         | Depth | Height |       |
| MEPL081504407000700 | 700            | 700   | 2150   |       |
| MEPL081504407001000 | 1000           | 700   | 2150   |       |
| MEPL081504407001200 | 1200           | 700   | 2150   |       |
| MEPL081504407001400 | 1400           | 700   | 2150   |       |

\*Working Height 850 (+50 mm Adjustable)

### MAT-06 Model

**Application :** Can be used for Electrical, Electronics, Plastic & Automobile Industries.

**Load Capacity :** 250 Kg UDL max. on top.

**Structure :** Modular structure of prime quality CRCA sheet.

**Specification :** Top MS\* Sheet with 1.5 mm Thk White Lilly carpet.  
 Standard Keyboard 350 depth with mouse tray on bottom.  
 Soft Board - 610 mm H x full length with Blue cloth.  
 Hinge door cabinet for CPU & UPS storage.  
 Dual Tube light 2' with half reflector.  
 Electrical Box with Model Plate (08).  
 Each Model Plate (08) with 3nos. switch & 2 nos. socket.  
 Height adjustable Leveler.

**Finish :** Powder Coating.  
 Structure -RAL 5015.  
 Accessories -RAL 9001.



| Product Code        | Dimension (mm) |       |        | Stock |
|---------------------|----------------|-------|--------|-------|
|                     | Length         | Depth | Height |       |
| MEPL081504507000700 | 700            | 700   | 2150   |       |

\*Working Height 850 (+50 mm Adjustable)

\*Top SS sheet also available

## MODULAR ASSEMBLY TABLE

### MAT-07 Model

**Application :** Can be used for Electrical, Electronics, Plastic & Automobile Industries.

**Load Capacity :** 250 Kg UDL max. on top.


**Structure :** Modular structure of prime quality CRCA sheet.

**Specification :** Top MS\* Sheet with 1.5 mm Thk White Lilly carpet.  
 Standard Single Drawer with 25 kg. UDL load capacity on RH side.  
 Drawer usable space - 315 L x 460 D x 85 H (mm).  
 Fixed shelf 315 depth for keeping FPO Bin 25.  
 Soft Board - 610 mm H x full length with Blue cloth.  
 Instruction display with A4 & A3 folder.  
 Dual Tube light with half reflector.  
 2' Tube light for 700, 1000, 1200 length.  
 4' Tube light for 1400 length.  
 Electrical Box with Model Plate (08).  
 Each Model Plate (08) with 3nos. switch & 2 nos. socket.  
 A4 stand folder with 10 leaves.  
 LR Channel with trolley 5 kg. Capacity.  
 Height adjustable Leveler.

**Finish :** Powder Coating.

Structure -RAL 5015.

Accessories -RAL 9001.



| Product Code        | Dimension (mm) |       |        | Stock |
|---------------------|----------------|-------|--------|-------|
|                     | Length         | Depth | Height |       |
| MEPL081504607000700 | 700            | 700   | 2150   |       |
| MEPL081504607001000 | 1000           | 700   | 2150   |       |
| MEPL081504607001200 | 1200           | 700   | 2150   |       |
| MEPL081504607001400 | 1400           | 700   | 2150   |       |

\*Working Height 850 (+50 mm Adjustable)

### MAT-08 Model

**Application :** Can be used in Electrical, Electronics, Plastic & Automobile Industries.

**Load Capacity :** 250 Kg UDL max. on top.


**Structure :** Modular structure of prime quality CRCA sheet.

**Specification :** Top MS\* Sheet with 1.5 mm Thk White Lilly Carpet.  
 Standard 2-Drawer with 25 kg. UDL load capacity either side.  
 Drawer usable space - 315 L x 460 D x 85 H (mm).  
 Soft Board - 610 mm H x full length with Blue cloth.  
 Dual Tube light 4ft with half reflector.  
 Instruction display with A4 & A3 folder.  
 Electrical Box with Model Plate (08).  
 Each Model Plate (08) with 3nos. switch & 2 nos. socket.  
 LR Channel with trolley 5 kg. Capacity.  
 Height adjustable Leveler.

**Finish :** Powder Coating.

Structure -RAL 5015.

Accessories -RAL 9001.



| Product Code        | Dimension (mm) |       |        | Stock |
|---------------------|----------------|-------|--------|-------|
|                     | Length         | Depth | Height |       |
| MEPL081504707001400 | 1400           | 700   | 2150   |       |
| MEPL081504707001800 | 1800           | 700   | 2150   |       |

\*Working Height 850 (+50 mm Adjustable)

\*Top SS sheet also available

## MODULAR ASSEMBLY TABLE

AN ISO 9001-2008 COMPANY

### MAT-09 Model


**Application :** Can be used for Electrical, Electronics, Plastic & Automobile Industries

**Load Capacity :** 250 Kg UDL max. on top.

**Structure :** Modular structure of prime quality CRCA sheet.

**Specification :** Top MS\* Sheet with 1.5 mm Thk White Lilly Carpet.  
 Standard Single Drawer with 25 kg. UDL load capacity on RH side.  
 Drawer usable space - 315 L x 460 D x 85 H (mm).  
 FPO Bin stands for keeping FPO Bin 15.  
 Soft Board - 610 mm H x full length with Blue cloth.  
 Middle shelf with GI Decking Panel.  
 Height adjustable Leveler.

**Finish :** Powder Coating.  
 Structure -RAL 5015.  
 Accessories -RAL 9001.



| Product Code        | Dimension (mm) |       |        |
|---------------------|----------------|-------|--------|
|                     | Length         | Depth | Height |
| MEPL081504807000700 | 700            | 700   | 1800   |
| MEPL081504807001000 | 1000           | 700   | 1800   |
| MEPL081504807001200 | 1200           | 700   | 2150   |
| MEPL081504807001400 | 1400           | 700   | 2150   |

\*Working Height 850 (+50 mm Adjustable)

### MAT-10 Model


**Application :** Can be used for Electrical, Electronics, Plastic & Automobile Industries

**Load Capacity :** 250 Kg UDL max. on top.

**Structure :** Modular structure of prime quality CRCA sheet.

**Specification :** Top MS\* Sheet with 1.5 mm Thk White Lilly Carpet.  
 Fixed shelf 315 depth for keeping FPO Bin 25.  
 Soft Board - 610 mm H x half length with Blue cloth.  
 White board - 610 mm H x half length with white laminate.  
 Bottom shelf with GI Decking Panel.  
 Height adjustable Leveler.

**Finish :** Powder Coating.  
 Structure -RAL 5015.  
 Accessories -RAL 9001.



| Product Code        | Dimension (mm) |       |        |
|---------------------|----------------|-------|--------|
|                     | Length         | Depth | Height |
| MEPL081504907001200 | 1200           | 700   | 1800   |
| MEPL081504907001400 | 1400           | 700   | 1800   |

\*Working Height 850 (+50 mm Adjustable)

\*Top SS sheet also available

## MODULAR ASSEMBLY TABLE

### MAT-11 Model

**Application :** Can be used for Electrical, Electronics, Plastic & Automobile Industries.

**Load Capacity :** 250 Kg UDL max. on top.


**Structure :** Modular structure of prime quality CRCA sheet.

**Specification :** Top MS\* Sheet with 1.5 mm Thk White Lilly carpet.  
 Standard Single Drawer with 25 kg. UDL load capacity on RH side.  
 Drawer usable space - 315 L x 460 D x 85 H (mm).  
 FPO Bin stand for keeping FPO Bin 15.  
 Bottom shelf 3 nos. (2 sides) x depth.  
 Middle bottom shelf with GI decking panel.  
 Dual Tube light 4' with half reflector.  
 Electrical Box with Model Plate (08).  
 Each Model Plate (08) with 3nos. switch & 2 nos. socket.  
 LR Channel with trolley 5 kg. Capacity.  
 Height adjustable Leveler.

**Finish :** Powder Coating.

Structure -RAL 5015.

Accessories -RAL 9001.



| Product Code        | Dimension (mm) |       |        | Stock |
|---------------------|----------------|-------|--------|-------|
|                     | Length         | Depth | Height |       |
| MEPL081505007001400 | 1400           | 700   | 2150   |       |
| MEPL081505007001800 | 1800           | 700   | 2150   |       |

\*Working Height 850 (+50 mm Adjustable)

### MAT-12 Model

**Application :** Can be used for Electrical, Electronics, Plastic & Automobile Industries

**Load Capacity :** 250 Kg UDL max. on top.


**Structure :** Modular structure of prime quality CRCA sheet.

**Specification :** Top MS\* Sheet with 1.5 mm Thk white Lilly carpet.  
 Standard Single Drawer with 25 kg.  
 UDL load capacity on RH side.  
 Drawer usable space - 315 L x 460 D x 85 H (mm).  
 FPO Bin stand for keeping FPO Bin 15.  
 Perfo Panel - 610 mm H x full length without \*accessories.  
 Bench vice 6".  
 Height adjustable Leveler.

**Finish :** Powder Coating.

Structure -RAL 5015.

Accessories -RAL 9001.




| Product Code        | Dimension (mm) |       |        | Stock |
|---------------------|----------------|-------|--------|-------|
|                     | Length         | Depth | Height |       |
| MEPL081505107000700 | 700            | 700   | 1800   |       |
| MEPL081505107001000 | 1000           | 700   | 1800   |       |
| MEPL081505107001200 | 1200           | 700   | 1800   |       |
| MEPL081505107001400 | 1400           | 700   | 1800   |       |

\*Working Height 850 (+50 mm Adjustable)

\*Top SS sheet also available

## VERTICAL STORAGE SYSTEMS



| END USE                | OFFICE              |       | INDUSTRY            |                     |
|------------------------|---------------------|-------|---------------------|---------------------|
| MODEL                  | 5400                | 5500  | 70-415              | 70-615              |
| WIDTH (MM)             | 2.740               | 3.190 | 3.364               |                     |
| DEPTH (MM)             | 1.103               |       | 1.315               | 1.715               |
| HEIGHT (MM)            | From 2.330 to 3.770 |       | From 2.780 to 6.560 | From 2.780 to 6.560 |
| SHELF WIDTH (MM)       | 2.340               | 2.790 | 2.850               |                     |
| CAPACITY MAX (kg)      | 2.800               |       | 7.000               |                     |
| SHELF PAYLOAD MAX (kg) | 130                 |       | 300                 |                     |
| SHELF DEPTH (MM)       | 365                 |       | 415                 | 615                 |

## AUTOMATIC VERTICAL LIFT MODULES

— XS-BI/XS-BE



| MODEL | TRAY WIDTH (MM) | TRAY DEPTH (MM) | TRAY WALL HEIGHT (MM) | TRAY NET PAYLOAD (KG) | FOOTPRINT INTERNAL BAY (WxD MM) | FOOTPRINT EXTERNAL BAY (WxD MM) |
|-------|-----------------|-----------------|-----------------------|-----------------------|---------------------------------|---------------------------------|
| 65XS  | 1.960           | 650             | 86/100                | 300-550               | 2.434X2.504                     | 2.434X2.504                     |
|       |                 |                 | 100                   | 800-990               |                                 |                                 |
| 84XS  | 1.960           | 840             | 86/100                | 300-550               | 2.434X3.074                     | 2.434X4.134                     |
|       |                 |                 | 100                   | 800-990               |                                 |                                 |
| 103XS | 1.960           | 1.030           | 86/100                | 300-550               | 2.434X3.644                     | 2.434X4.894                     |
|       |                 |                 | 100                   | 800-990               |                                 |                                 |

— XS-BI/XS-BE




| MODEL | TRAY WIDTH (MM) | TRAY DEPTH (MM) | TRAY WALL HEIGHT (MM) | TRAY NET PAYLOAD (KG) | FOOTPRINT INTERNAL BAY (WxD MM) | FOOTPRINT EXTERNAL BAY (WxD MM) |
|-------|-----------------|-----------------|-----------------------|-----------------------|---------------------------------|---------------------------------|
| 65S   | 2.450           | 650             | 86/100                | 300-550               | 2.934X2.504                     | 2.934X2.504                     |
|       |                 |                 | 100                   | 800-990               |                                 |                                 |
| 84S   | 2.450           | 840             | 86/100                | 300-550               | 2.934X3.074                     | 2.934X4.134                     |
|       |                 |                 | 100                   | 800-990               |                                 |                                 |
| 103S  | 2.450           | 1.030           | 86/100                | 300-550               | 2.934X3.644                     | 2.934X4.894                     |
|       |                 |                 | 100                   | 800-990               |                                 |                                 |

— M-BI/XS-BE



| MODEL | TRAY WIDTH (MM) | TRAY DEPTH (MM) | TRAY WALL HEIGHT (MM) | TRAY NET PAYLOAD (KG) | FOOTPRINT INTERNAL BAY (WxD MM) | FOOTPRINT EXTERNAL BAY (WxD MM) |
|-------|-----------------|-----------------|-----------------------|-----------------------|---------------------------------|---------------------------------|
| 65M   | 2.450           | 650             | 86/100                | 300-550               | 2.934X2.504                     | 2.934X2.504                     |
|       |                 |                 | 100                   | 800-990               |                                 |                                 |
| 84M   | 2.450           | 840             | 86/100                | 300-550               | 2.934X3.074                     | 2.934X4.134                     |
|       |                 |                 | 100                   | 800-990               |                                 |                                 |
| 103M  | 2.450           | 1.030           | 86/100                | 300-550               | 2.934X3.644                     | 2.934X4.894                     |
|       |                 |                 | 100                   | 800-990               |                                 |                                 |

— L-BI/L-BE



| MODEL | TRAY WIDTH (MM) | TRAY DEPTH (MM) | TRAY WALL HEIGHT (MM) | TRAY NET PAYLOAD (KG) | FOOTPRINT INTERNAL BAY (WxD MM) | FOOTPRINT EXTERNAL BAY (WxD MM) |
|-------|-----------------|-----------------|-----------------------|-----------------------|---------------------------------|---------------------------------|
| 65L   | 3.650           | 650             | 100/120               | 300-550               | 4.134X2.504                     | 4.134X3.374                     |
|       |                 |                 | 120/150               | 800-990               |                                 |                                 |
| 84L   | 3.650           | 840             | 100/120               | 300-550               | 4.134X3.074                     | 4.134X4.134                     |
|       |                 |                 | 120/150               | 800-990               |                                 |                                 |
| 103L  | 3.650           | 1.030           | 100/120               | 300-550               | 4.134X3.644                     | 4.134X4.904                     |
|       |                 |                 | 120/150               | 800-990               |                                 |                                 |

## MODULAR WORK BENCH

**Basic Work Bench**



**Basic Work Bench with Tool cabinet**



**Basic Work Bench**


| Specification                                | Dimension (mm)         | Load Capacity 500 kg | Load Capacity 1000 kg | Stock |
|----------------------------------------------|------------------------|----------------------|-----------------------|-------|
|                                              |                        | Product Code         |                       |       |
| 600 Depth                                    | 1500 L x 600 D x 850 H | MEPL091300415060850  | MEPL091400415060850   |       |
|                                              | 1800 L x 600 D x 850 H | MEPL091300518060850  | MEPL091400518060850   |       |
|                                              | 2000 L x 600 D x 850 H | MEPL091300620060850  | MEPL091400620060850   |       |
| 700 Depth                                    | 1500 L x 700 D x 850 H | MEPL091300415070850  | MEPL091400415070850   |       |
|                                              | 1800 L x 700 D x 850 H | MEPL091300518070850  | MEPL091400518070850   |       |
|                                              | 2000 L x 700 D x 850 H | MEPL091300620070850  | MEPL091400620070850   |       |
| Wooden Top (Veneer Polish)                   |                        | 36 mm thick          | 48 mm thick           |       |
| Wooden Top (Gray laminate - 1.1 mm thick)    |                        | Cost Extra           | Cost Extra            |       |
| Wooden Top (Black rubber sheet - 6 mm thick) |                        | Cost Extra           | Cost Extra            |       |
| Grouting Provision                           |                        | Yes                  | Yes                   |       |
| Bench Wise 4" or 6"                          |                        | Cost Extra           | Cost Extra            |       |
| Finish : Powder Coating                      |                        | RAL 5015             | RAL 5015              |       |

**Basic Work Bench with Tool cabinet**

| Specification                                | Dimension (mm)         | Load Capacity 500 kg                     | Load Capacity 1000 kg                    | Stock |
|----------------------------------------------|------------------------|------------------------------------------|------------------------------------------|-------|
|                                              |                        | Product Code                             |                                          |       |
| 600 Depth                                    | 1500 L x 600 D x 850 H | MEPL091300406850425                      | MEPL091400406850425                      |       |
|                                              | 1800 L x 600 D x 850 H | MEPL091300506850425                      | MEPL091400506850425                      |       |
|                                              | 2000 L x 600 D x 850 H | MEPL091300606850425                      | MEPL091400606850425                      |       |
| 700 Depth                                    | 1500 L x 700 D x 850 H | MEPL091300407850425                      | MEPL091400407850425                      |       |
|                                              | 1800 L x 700 D x 850 H | MEPL091300507850425                      | MEPL091400507850425                      |       |
|                                              | 2000 L x 700 D x 850 H | MEPL091300607850425                      | MEPL091400607850425                      |       |
| Wooden Top (Veneer Polish)                   |                        | 36 mm thick                              | 48 mm thick                              |       |
| Wooden Top (Gray laminate - 1.1 mm thick)    |                        | Cost Extra                               | Cost Extra                               |       |
| Wooden Top (Black rubber sheet - 6 mm thick) |                        | Cost Extra                               | Cost Extra                               |       |
| TC MEPL-II                                   | 560 L x 600 W x 425 H  | F100/2, F125/1, 40 kg<br>Drawer capacity | F100/2, F125/1, 40 kg<br>Drawer capacity |       |
| Grouting Provision                           |                        | Yes                                      | Yes                                      |       |
| Bench Wise 4" or 6"                          |                        | Cost Extra                               | Cost Extra                               |       |
| Finish : Powder Coating                      |                        | RAL 5015                                 | RAL 5015                                 |       |

## MODULAR WORK BENCH

### Work Bench with Tool Cabinet & Perfo-panel & Bottom Foot Rest




D

| Specification                                | Dimension (mm)         | Load Capacity 500 kg                     | Load Capacity 1000 kg                    | Stock |
|----------------------------------------------|------------------------|------------------------------------------|------------------------------------------|-------|
|                                              |                        | Product Code                             |                                          |       |
| 600 Depth                                    | 1500 L x 600 D x 850 H | MEPL091300468510425                      | MEPL091400468510425                      |       |
|                                              | 1800 L x 600 D x 850 H | MEPL091300568510425                      | MEPL091400568510425                      |       |
|                                              | 2000 L x 600 D x 850 H | MEPL091300668510425                      | MEPL091400668510425                      |       |
| 700 Depth                                    | 1500 L x 700 D x 850 H | MEPL091300478510425                      | MEPL091400478510425                      |       |
|                                              | 1800 L x 700 D x 850 H | MEPL091300578510425                      | MEPL091400578510425                      |       |
|                                              | 2000 L x 700 D x 850 H | MEPL091300678510425                      | MEPL091400678510425                      |       |
| Wooden Top (Veneer Polish)                   |                        | 36 mm thick                              | 48 mm thick                              |       |
| Wooden Top (Gray laminate - 1.1 mm thick)    |                        | Cost Extra                               | Cost Extra                               |       |
| Wooden Top (Black rubber sheet - 6 mm thick) |                        | Cost Extra                               | Cost Extra                               |       |
| TC MEPL-II                                   | 560 L x 600 W x 425 H  | F100/2, F125/1, 40 kg<br>Drawer capacity | F100/2, F125/1, 40 kg<br>Drawer capacity |       |
| Bottom Wooden foot rest                      |                        | 18 thick x 300 W                         | 18 thick x 300 W                         |       |
| Perfo-Panel                                  | 20 thick x 610 H       | Full length                              | Full length                              |       |
| Grouting Provision                           |                        | Yes                                      | Yes                                      |       |
| Bench Wise 4" or 6"                          |                        | Cost Extra                               | Cost Extra                               |       |
| Finish : Powder Coating                      |                        | RAL 5015                                 | RAL 5015                                 |       |

## MODULAR WORK BENCH


### Table with Tool Cabinet, Perfo & Tube light



| Specification                                | Dimension (mm)         | Load Capacity 500 kg              | Load Capacity 1000 kg             | Stock |
|----------------------------------------------|------------------------|-----------------------------------|-----------------------------------|-------|
|                                              |                        | Product Code                      |                                   |       |
| 600 Depth                                    | 1500 L x 600 D x 850 H | MEPL091300468530800               | MEPL091400468530800               |       |
|                                              | 1800 L x 600 D x 850 H | MEPL091300568530800               | MEPL091400568530800               |       |
|                                              | 2000 L x 600 D x 850 H | MEPL091300668530800               | MEPL091400668530800               |       |
| 700 Depth                                    | 1500 L x 700 D x 850 H | MEPL091300478530800               | MEPL091400478530800               |       |
|                                              | 1800 L x 700 D x 850 H | MEPL091300578530800               | MEPL091400578530800               |       |
|                                              | 2000 L x 700 D x 850 H | MEPL091300678530800               | MEPL091400678530800               |       |
| Wooden Top (Veneer Polish)                   |                        | 36 mm thick                       | 48 mm thick                       |       |
| Wooden Top (Gray laminate - 1.1 mm thick)    |                        | Cost Extra                        | Cost Extra                        |       |
| Wooden Top (Black rubber sheet - 6 mm thick) |                        | Cost Extra                        | Cost Extra                        |       |
| TC MEPL-II                                   | 560 L x 600 W x 800 H  | F100/7, 100 kg<br>Drawer capacity | F100/7, 100 kg<br>Drawer capacity |       |
| Surface box (5 &15 Amp Switch & Socket)      |                        | Yes                               | Yes                               |       |
| Perfo-Panel                                  | 20 thick x 610 H       | Full length                       | Full length                       |       |
| 4' Tube Light                                |                        | Yes                               | Yes                               |       |
| Grouting Provision                           |                        | Yes                               | Yes                               |       |
| Bench Wise 4" or 6"                          |                        | Cost Extra                        | Cost Extra                        |       |
| Finish : Powder Coating                      |                        | RAL 5015                          | RAL 5015                          |       |

## MODULAR WORK BENCH

Table with Tool Cabinet, Perfo-panel, Soft Board & Tube Light



D

| Specification                                | Dimension (mm)         | Load Capacity 500 kg                     | Load Capacity 1000 kg                    | Stock |
|----------------------------------------------|------------------------|------------------------------------------|------------------------------------------|-------|
|                                              |                        | Product Code                             |                                          |       |
| 600 Depth                                    | 1500 L x 600 D x 850 H | MEPL091300468540425                      | MEPL091400468540425                      |       |
|                                              | 1800 L x 600 D x 850 H | MEPL091300568540425                      | MEPL091400568540425                      |       |
|                                              | 2000 L x 600 D x 850 H | MEPL091300668540425                      | MEPL091400668540425                      |       |
| 700 Depth                                    | 1500 L x 700 D x 850 H | MEPL091300478540425                      | MEPL091400478540425                      |       |
|                                              | 1800 L x 700 D x 850 H | MEPL091300578540425                      | MEPL091400578540425                      |       |
|                                              | 2000 L x 700 D x 850 H | MEPL091300678540425                      | MEPL091400678540425                      |       |
| Wooden Top (Veneer Polish)                   |                        | 36 mm thick                              | 48 mm thick                              |       |
| Wooden Top (Gray laminate - 1.1 mm thick)    |                        | Cost Extra                               | Cost Extra                               |       |
| Wooden Top (Black rubber sheet - 6 mm thick) |                        | Cost Extra                               | Cost Extra                               |       |
| TC MEPL-II                                   | 560 L x 600 W x 425 H  | F100/2, F125/1, 40 kg<br>Drawer capacity | F100/2, F125/1, 40 kg<br>Drawer capacity |       |
| Surface box (5 &15 Amp Switch & Socket)      |                        | Yes                                      | Yes                                      |       |
| Perfo-Panel                                  | 20 thick x 610 H       | Half length                              | Half length                              |       |
| Soft Board                                   | 20 Thk x 610 H         | Half length                              | Half length                              |       |
| 4' Tube Light                                |                        | Yes                                      | Yes                                      |       |
| Grouting Provision                           |                        | Yes                                      | Yes                                      |       |
| Bench Wise 4" or 6"                          |                        | Cost Extra                               | Cost Extra                               |       |
| Finish : Powder Coating                      |                        | RAL 5015                                 | RAL 5015                                 |       |

## MODULAR WORK BENCH

### Work Bench with Tool Cabinet & Cabinet Door



| Specification                                | Dimension (mm)         | Load Capacity 500 kg                     | Load Capacity 1000 kg                    | Stock |
|----------------------------------------------|------------------------|------------------------------------------|------------------------------------------|-------|
|                                              |                        | Product Code                             |                                          |       |
| 600 Depth                                    | 1800 L x 600 D x 850 H | MEPL091300806856510                      | MEPL091400806856510                      |       |
|                                              | 2000 L x 600 D x 850 H | MEPL091300906856510                      | MEPL091400906856510                      |       |
| 700 Depth                                    | 1800 L x 700 D x 850 H | MEPL091300807856510                      | MEPL091400807856510                      |       |
|                                              | 2000 L x 700 D x 850 H | MEPL091300907856510                      | MEPL091400907856510                      |       |
| Wooden Top (Veneer Polish)                   |                        | 36 mm thick                              | 48 mm thick                              |       |
| Wooden Top (Gray laminate - 1.1 mm thick)    |                        | Cost Extra                               | Cost Extra                               |       |
| Wooden Top (Black rubber sheet - 6 mm thick) |                        | Cost Extra                               | Cost Extra                               |       |
| LH Tool Cabinet                              | 500 L x 500 W x 650 H  | F100/1, F150/3, 40 kg<br>Drawer capacity | F100/1, F150/3, 40 kg<br>Drawer capacity |       |
| Middle Tool Cabinet                          | 500 L x 500 W x 650 H  | F100/3, F125/2, 40 kg                    | F100/3, F125/2, 40 kg                    |       |
| RH Cabinet Door                              | 500 L x 500 W x 650 H  | Hinge door<br>with 1 no. shelf           | Hinge door<br>with 1 no. shelf           |       |
| Grouting Provision                           |                        | Yes                                      | Yes                                      |       |
| Bench Wise 4" or 6"                          |                        | Cost Extra                               | Cost Extra                               |       |
| Finish : Powder Coating                      |                        | RAL 5015                                 | RAL 5015                                 |       |

D

## MODULAR WORK BENCH

### Medium Duty Table Trolley

**Application :** Suitable for Light assembly works.

**Structure :** Modular structure, Prime Quality CRCA Sheet.

**Wooden Top :** Wooden Top (Veneer Polish) 36 mm thick.

Wooden Top  
(Gray laminate - 1.1 mm thick) - Optional.

Wooden Top  
(Black rubber sheet - 6 mm thick) - Optional.

**Drawer :** RH Side : F100/2, F125/1.

Load Capacity of drawer / 40 kg UDL.

All Drawers have full Extension.


with Castor MD wheel, PU, Ø150 x 40 W.

(2 Fix & 1 Sw & 1 Sw with Brake).

**Finish :** Powder Coating.

Structure-RAL 5015.

Drawer-RAL 9001.



| Too Cabinet       | Product Code        | Dimension (mm) |       |        | Stock |
|-------------------|---------------------|----------------|-------|--------|-------|
|                   |                     | Length         | Depth | Height |       |
| 500 x 500 x 425 H | MEPL092500360900425 | 1200           | 600   | 900    |       |
| 500 x 500 x 425 H | MEPL092500460900425 | 1500           | 600   | 900    |       |
| 560 x 600 x 425 H | MEPL092500370900425 | 1200           | 700   | 900    |       |
| 560 x 600 x 425 H | MEPL092500470900425 | 1500           | 700   | 900    |       |

### Hexagonal work Bench

**Application :** Suitable for Light assembly works.

**Structure :** Prime Quality CRCA Sheet.

**Wooden Top :** Wooden Top (Veneer Polish) 48 mm thick.

Wooden Top (Gray laminate - 1.1 mm thick) - Optional.

Wooden Top (Black rubber sheet - 6 mm thick) - Optional.

**Tool Cabinet :** 560 L x 600 W x 800 H (mm) - 6 nos.

**Drawer :** F100/3, F125/2, F150/1.

All Drawers have full extension.

Load Capacity : 40 Kg UDL/Drawer.


Central lock is provided.

Bench vice are optional.

**Finish :** Powder Coating.

Structure-RAL 5015.

Drawer-RAL 9001.



| Model Type          | Product code        | Stock |
|---------------------|---------------------|-------|
| Top electric socket | MEPL092600156588501 |       |
| Plain top           | MEPL092600256588501 |       |

D



**XTECHNOCRAT INDIA PVT. LTD.**

📍 Plot No. 167, Industrial Area, Phase 2, Panchkula, Haryana (India)-134113

☎ +91 9560239666 📞 0172-5009922

✉ sales@xtechnocrat.com 🌐 www.xtechnocrat.com